

Fig.3




Fig.5




Fig.4




Fig.6




Fig.8




Fig. 7




Fig 9




Fig.10
Calibration Device




Fig.11
Calibration Device
Main Loop




Fig.12
Calibration Device
Determine brightness
of red, green, blue, or
white




Fig.13

Perceptible
Appretus
Main Loop







Fig. 14

Perceptible Apparatus - Lockup
Duty cycles based upon current
mode and knob settings








Fig.18

Block Diagram
Energy Machine




Fig.19




Fig.20




Fig.21




Fig.22
 Method of use - Manual
 Mode
 (exemplary embodiment of
 the present invention)




Fig.23
 Method of use - Clearing
 Mode
 (exemplary embodiment of
 the present invention)




Fig.24

(Method of use - Program Mode
(exemplary embodiment of the present invention))

Fig.25

(Process for replicating an energetic effect)




Fig.26




Fig.27




Fig.28

Dimensions of translucent element 31
used in exemplary embodiment of
program mode





Fig.29
Calculate duty-cycles
for chakra mode

Figure 30






Figure 31

CONFIGURING AND USING THE PRESENT INVENTION FOR CREATING A SACRED SPACE




Figure 32

METHOD FOR WORKING WITH THE BIOFIELD OF AN INDIVIDUAL

Figure 33





Figure 34



SCANNING TECHNIQUE
A METHOD
FOR WORKING ON
THE BIOFIELD
OF AN INDIVIDUAL
USING
MANUAL SETTINGS




Figure 35

SCANNING TECHNIQUE
A METHOD
FOR WORKING ON
THE BIOFIELD
OF AN INDIVIDUAL
USING
MANUAL SETTINGS